



State-of-the-art technology and stunning cast-iron design combine to create a high-performance masterpiece.

**LENNOX**<sup>®</sup>  
HEARTH PRODUCTS

  
**COUNTRY**<sup>®</sup>  
COLLECTION



## STANDARD FEATURES

EPA-certified (1.01 gr/hr)


Quiet operation mode allows the convection fan to operate independently of combustion/feed rate

Direct-current brushless auger motor benefits include: quieter operation, superior reliability, faster start-ups and more consistent fuel delivery

Completely sealed combustion system compatible for use with 100% outside air for maximum efficiency

- 1 Beautifully detailed cast iron in painted Black or enameled Espresso Brown
- 2 Easy-to-use LCD screen displays the stove's operating mode for more user control
- 3 Multi-directional air-wash system for superior viewing area and cleanliness
- 4 Convenient and direct access to components simplifies cleaning and service
- 5 Double-cushioned combustion fan assembly for quieter operation
- 6 Large 75-lb. hopper

Limited Lifetime Warranty



## OPTIONAL ACCESSORIES

Decorative stone inset panels

- Beatrice Soapstone
- Gallo Veneziano
- Tan Brown

Traditional brick panel kit

Decorative log set

Remote thermostat



Log set



Beatrice Soapstone



Gallo Veneziano



Tan Brown



Remote thermostat




Wall thermostat



Traditional brick panel kit

## DIMENSIONS

### BELLA™ FIREPLACE DIMENSIONS



### SPECIFICATIONS

#### BELLA PELLET STOVE

<b>Flue Size</b>	3" (76mm) rear
<b>Floor Protection Requirements</b>	front: 6" (152mm) sides: 3" (76mm) back: 0" (0mm)
<b>Hopper Capacity</b>	75 lbs.*
<b>Burn Time</b>	15-1/2–42 hours
<b>Fuse Control Board</b>	3 Amp, 250 Volt, 3AG**
<b>Fuse, Igniter</b>	6 Amp, 250 Volt**
<b>Heat Input (BTU/hr)</b>	15,300–43,000 BTU/hr
<b>Efficiency Rating</b>	79.8%
<b>Emissions</b>	1.01 gr/hr*
<b>Convection Blower (room air)</b>	150 CFM; .90 Amps, 1650 RPM
<b>Combustion Blower</b>	100 CFM; 1.3 Amps, 3000 RPM
<b>Auger Motor</b>	1.28 RPM; .4 Amps
<b>Standard Features</b>	Self Igniter

**Notes:**

Dimensions shown are approximations only (+/- 1/4").

Approved for manufactured home installations.

Optional kits available: stone panel kits, brick panel kits, leg leveling kit, remote control and wall thermostat.

\*Fuel delivery and burn times vary depending on size and type of fuel used.

\*\*Fuses are rated as fast-acting.



Painted Black Bella stove



Espresso Brown enamel Bella stove

**On the cover:** Espresso Brown enamel Bella™ stove shown with Traditional brick panel kit, decorative log set and Gallo Veneziano stone inset panels.

## PRODUCTS AND DEALERS YOU CAN COUNT ON

At Lennox, we understand how important it is for you to feel comfortable at home, so we're committed to providing you with the finest hearth products available. Choosing the right dealer for your hearth needs is every bit as important as choosing the right brand, and we think you'll agree that our dealers are a big reason why you can count on getting quality customer service when you call.



**HEARTH PRODUCTS**

©Lennox Hearth Products LLC 2012

Visit us at [www.lennoxhearthproducts.com](http://www.lennoxhearthproducts.com)

or contact us at 1-800-655-2008

785255M 11/12

**IMPORTANT NOTES:**

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.



Tested & Listed By  
**OTL**  
 c  
**US**  
 OMNI-Test Laboratories, Inc.  
 Report number: 116-S-53-2



100% recycled