INSERT SERIES CATALOG ELECTRIC FIREPLACES







ELECTRICS BY

SIERRA FLAME

30" • 34"

Add new life to an existing wood or masonry fireplace with the INS FM 30 or INS FM 34 Insert. A stunning and life like flame is intensified by the visually impressive traditional log set, included with the insert. Finished with a black steel surround and overlay, this unit makes an immediate impact on any renovated or retrofitted room. Conveniently control the flame height and intensity of the natural looking flame with the included patented thermostatic remote or from your smart phone. WiFi compatible to connect and control the fireplace from your smart phone with the use of our app. Available on Google Play Store or Apple App Store. Ideal for zone heating, this electric insert easily heats a space of 400 to 500 sq ft in size.

KEY FEATURES

- Great alternative for wood or gas inserts
- Perfect for renovations or retrofits
- 2 popular sizes
- Heat is vented upwards from overlay
- Hard-wire ready
- Stunning 'Gradient' Flame
- Black Steel surround
- No grills
- 4 stage front and 4 stage internal back lighting DESIGN-MEDIA-OAK-12PCE-LG
- Latest LED light technology
- Front and rear control for flame and heater included
- Can produce up to 5000 BTU of heat, enough to heat up to 500 sq feet
- Flame operates with or without heat
- Remote control for flame and heater
- 4 leveling legs on the underside
- Plug on the left side

INCLUDED ACCESSORIES





IDEAL APPLICATIONS

- Retrofits
- Into existing metal or masonry fireplaces
- New construction
- Renovation projects

TECHNICAL SPECS

120 Volts 13 Amps 1500 max Watts 1500 watts high, Heater On 750 watts low 22 watts Heater Off 1 at 5 watts Rotor Motor

5000

SERIES MODELS:

Steel front INS 30, INS 34



2 YEAR WARRANTY OUTDOOR APPROVED





TRADITIONAL LUMINA INSERTS

26" • 30" • 33" • 38"

Enhance your living space with the TRD Insert Lumina Electric Fireplace, where sophistication meets advanced technology. Watch as lifelike flames bring your home to life and create the perfect ambiance for any occasion. With customizable comfort, quiet operation, and user-friendly features, this fireplace insert is the ideal addition to elevate your home comfort and style.

KEY FEATURES

- 2 Year Warranty
- WiFi compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google play store and the Apple App Store.
- Programmable timer & thermostat allows you to decide the temperature of the room. Set the fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.
- Smart Room Temperature Control
- 59°F 82°F or 15°C 28°C
- TRD three or four sided surround required for semi flush mounted applications
- Can be fully recessed or semi flush mounted.

- 1465W 5120 BTU, heats up to 500 Sq. Ft
- 50000 hours lifetime LED light source
- Approved for Outdoor Installations*
- Designed with front flow heating and hidden venting so that the unit can be recessed or semi flush mounted.
- A clean reduced trim kit allows for a large viewing area with true lifelike flames that can not be rivaled. • Adjustable flame brightness and speed that can be
- turned on separately. • Adjustable ember bed colors that allow for the
- possibility of auto mixing thousands of colors.
- Most quiet and reliable components in the industry
- Patented thermostatic remote comes included
- Masonry finish to trim option or Insert surround

TECHNICAL SPECIFICATIONS

Volts 120V 60Hz

Amps Watts

1465 Watts 1465 Watts high,

732 Watts low

Heater Off 22 Watts

1 at 5 Watts Rotor Motor

5000

SERIES MODELS:

TRD 33-Lumina TRD 38-Lumina

Heater On

BTU



2 YEAR WARRANTY OUTDOOR APPROVED







YELLOW FLAME



RED FLAME

INCLUDED ACCESSORIES

Models come with Design Media Oak LG 12PCE, 2 small bags of vermiculite, clear fireglass, remote and grate





Surrounds Optional:





4-Sided Surround

*Manufacturer guidelines regarding outdoor installation must be followed. Please refer to the owner's manual for additional information



TRADITIONAL BESPOKE INSERTS

30" • 33" • 38"

KEY FEATURES

- 5 Year Warranty
- Fire & Sound Two (2) quality audio speakers deliver a fire crackling sound. The audio is an ON/OFF feature that can be controlled through the WiFi app.
- WiFi compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google play store and the Apple App Store.
- Bluetooth Connectivity Featuring a fireplace with high quality audio from Bluetooth speakers. Simply pair your phone with the fireplace and press play on your smartphone.
- Programmable timer & thermostat allows you to decide the temperature of the room. Set the fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.

- 1465W 5120 BTU, heats up to 500 Sq. Ft
- 50000 hours lifetime LED light source
- Approved for Outdoor Installations*
- Designed with front flow heating and hidden venting so that the unit can be recessed or semi flush mounted.
- A clean reduced trim kit allows for a large viewing area with true lifelike flames that can not be rivaled.
- Adjustable flame brightness and speed that can be turned on separately.
- Adjustable ember bed colors that allow for the possibility of auto mixing thousands of colors.
- Most quiet and reliable components in the
- Patented thermostatic remote comes included
- Masonry finish to trim option
- Smart Room Temperature Control - 59°F - 82°F or 15°C - 28°C

TECHNICAL SPECIFICATIONS

Volts 120V 60Hz 12.5 Amps 1465 Watts Watts 1465 Watts high, Heater On

Heater Off 27 W - TRD 33 Bespoke Insert 32.6 W - TRD 38 Bespoke Insert

732 Watts low

Rotor Motor 1 at 2.9 Watts 5120

BTU

SERIES MODELS:

TRD-33 BESPOKE Insert TRD-38 BESPOKE Insert







5 YEAR WARRANTY OUTDOOR APPROVED



YELLOW FLAME



RED FLAME

TRD-33 BESPOKE Insert



TRD-38 BESPOKE Insert

INCLUDED ACCESSORIES

All fireplaces come with a choice of one Designer Media Kit - Driftwood, Rustic, Birch, Split Log, 18Pce Oak, 12PCE Oak or Ice Media. Remote Control comes included.

Surrounds Optional:



3-Sided Surround



4-Sided Surround

TRD-38 BESPOKE Insert

TRD-33 BESPOKE Insert











ICE-MEDIA-FI-109-DIAMOND

DESIGN-MEDIA-BIRCH-15PCE

DESIGN-MEDIA-DRIFT-15PCE

DESIGN-MEDIA-SPLIT-LOG-16PCE DESIGN-MEDIA-OAK-18PCE


DESIGN-MEDIA-RUSTIC-14PCE

*Manufacturer guidelines regarding outdoor installation must be followed. Please refer to the owner's manual for









TRADITIONAL XTRA SLIM SMART

26" • 30" • 33"

The Traditional Xtra Slim Smart electric fireplace offers the perfect balance of style and functionality for any room that it is placed in.

A familiar emblem of welcome and conversation, the TRD Xtra Slim Smart is defined by it's slender depth proportions and seamless integration into any contemporary setting.

Featuring a shimmering flame display, the back of the fireplace is filled with movement that will capture your attention. Adjusting the heat is a simple matter of pushing a button. During the warmer months, the flames can be displayed without heat, making it perfect to use all year round.

KEY FEATURES

- Modern and sleek in design, this unit can be mounted or recessed into any 2" x 4" wall
- Unsurpassed, realistic flames can be enjoyed with or without the use of heat, allowing for year round use
- Clean and Seamless in Design: this fireplace features a full frame viewing area
- WiFi controls come standard
- Remote App- total control of your fireplace from the convenience of your mobile device
- Operate this fireplace from the comfort of your favorite spot with the included full feature remote control
- 2 Heater settings Low 732W High 1465W

- 5000 BTU's Max
- Accessories Included: Clear glass diamonds, black powder coated surround and a full feature remote control
- 10 multi colors of up lighting that accent from the tray, 1 setting to cycle through all the colors
- Flame options include: yellow orange and red.

 Cycle through 6 different color settings in each
- 3 Speed motor sets the flame speed option
- Smart Heater Control Auto mode feature allows for the unit to operate under your ideal temperature setting
- Perfect for any commercial or residential space

IDEAL APPLICATIONS

- Apartments
- Condos
- Townhouses
- Older homes

TECHNICAL SPECIFICATIONS

 Volts
 120

 Amps
 12.5 A

 Watts
 1465 max

 Heater On
 1465 watts high,

732 watts low
Heater Off 25 watts
Rotor Motor 1 at 5 watts

5000



2 YEAR WARRANTY



ORANGE FLAME



YELLOW FLAME



RED FLAME



Models come with clear fireglass, remote and trim









ZECL-31-3228-STL

The Zero Clearance ZECL-31-3228-STL is made of heavy gauge steel and comes with a choice of either Arch Steel Surround or Square Steel Surround. A log set is included with this insert. Highlight any room with the elegant and practical zero clearance. ZECL-31-3228 STL electric fireplace is designed to be fully enclosed, the ZECL-31-3228 STL is an excellent and economical option to gas or wood burning fireplaces. Perfect for new construction, renovation projects, commercial or residential spaces

KEY FEATURES

- Heater & Fan Flame operates with or without heat
- Hard-wire ready.
 Thermostat hard-wire ready
- Temperature maintenance control keep your space warm and cozy
- Three light strips allow for yellow, orange, blue, violet and rose colored flames.
- Perfect for zone heating. Approx. 500 sq. ft. 5000 BTUs

IDEAL APPLICATIONS

- Residential spaces
- Commercial spaces
- New construction
- Renovation projects

TECHNICAL SPECS

 Volts
 120

 Amps
 13

 Watts
 1500 max

 Heater On
 1500 watts

1500 watts high, 750 watts low

Heater Off 22 watts
Rotor Motor 1 at 5 watts

BTU 5000







YELLOW FLAME

RED FLAME


INCLUDED ACCESSORIES


ORANGE FLAME


The Zero Clearance series come with log set and a remote











ZECL-31-3228-STL-SQR


ZECL-31-3228-STL-ARCH

Thick heavy gauge steel surrounds











INS-FM-30




Inserts-US AUG 2024



We reserve the right to update products, specifications and dimensions are subject to change. Please refer to the product manual to verify measurements and clearance requirements. All local building codes must be followed.

INS-FM-34





www.amantii.com