

# Traditional Fireplace Design Collection





# SHOW YOURSELF

Create a room that begs you to stick around, sit down and relax.

IN

FEATURED Devonshire 42 shown with Ledgestone ceramic brick.



FEATURED Devonshire 42 shown with Ivory Split Herringbone brick and Ivory Perimeter Trim Kit.

The Devonshire Direct Vent Gas Fireplace a traditional design for a true masonry-built appearance. Offers an expansive ceramic-glass opening for an exceptional view of the tall, dancing flames. And with an incredible array of optional accessories to personalize to your taste, the Devonshire provides endless possibilities for making your living area warm and inviting.

### **EXCLUSIVE FEATURES**

- Clean-face design features ceramic glass for optimum heat transfer
- \* Tall opening provides an exceptional view of the flame
- ★ Interior panel selections consist of three ceramic brick options
- ♦ Gas controls are conveniently located inside the bottom of the fireplace opening for easy installation, finishing and operation
- Powerful burner system produces tall, dancing flames
- Intermittent pilot ignition with battery backup to provide continued operation in the event of a power outage
- Features a variety of convenient venting options using our 5" and 8" coaxial chimney system
- Comes standard with fully functioning remote control
- Comes standard with thermally activated fan system
- Limited lifetime warranty



FEATURED Devonshire and its impressively large flame presentation.

## Options

Interior (Required) Choose from five, realistic ceramic brick fireplace liners that deliver the true look of masonry craftsmanship.



Ledgestone



Ivory Split Herringbone



Ivory Split Stacked



Warm Red Split Herringbone



Warm Red Split Stacked

# Perimeter Trim Kits (Optional) Choose from three realistic ceramic brick Perimeter Trims to add the finishing touch to your new fireplace.



Ledgestone



Ivory Split Stacked




Warm Red Split Stacked




Ivory Perimeter Trim Kit

### **APPLIANCE SPECIFICATIONS**



	DEVONSHIRE 36	DEVONSHIRE 42
A	44"	48"
В	41"	48"
С	22"	26"

### **CORNER FRAMING SPECIFICATIONS**




	DEVONSHIRE 36	DEVONSHIRE 42	
G	36-3/8"	43-3/8"	
Н	51-3/8"	61-3/4"	
I	41"	48"	
J	72-1/2"	86"	


### On the cover: Devonshire shown with Ledgestone brick.

### IMPORTANT NOTES:

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer. Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.





	DEVONSHIRE 36	DEVONSHIRE 42	
K	29"	34-3/4"	
L	20-5/8"	24-1/8"	
M	11-7/8"	13-5/8"	
N	41"	48"	
О	35"	42"	
P	38-7/8"	42-7/8"	
Q	31"	35"	
R	21"	25"	
S	10-3/4"	11-1/2"	
T	6-3/4"	6-3/4"	
U	2-1/4"	2-1/4"	

### FIREPLACE EFFICIENCIES

MODEL	FUEL	BTU/HR	
DEVONSHIRE 36	NG	30,000/49,000	
DEVONSHIRE 36	LP	28,000/47,000	
DEVONSHIRE 42	NG	33,000/59,000	
DEVONSHIRE 42	LP	28,000/53,000	





Visit us online





