



A stunning see-through that provides a harmonious flow from one space to another, inside or outside the home.

LENNOX
HEARTH PRODUCTS

DAVE LENNOX
signature
COLLECTION



Montebello® See-Through shown with Black Porcelain liner and outdoor window kit.

■ With its substantial opening and stunningly realistic fire presentation, the Montebello® gas fireplace has been one of Lennox' most popular models. Today, we are proud to offer this classic fireplace in a see-through configuration, offering the flexibility to enjoy a cozy fire in multiple rooms or from an outside gathering place. The Montebello See-Through can be installed between two interior walls or, with the addition of the outdoor kit, between an indoor wall and an outdoor wall. When it's not burning, the fireplace makes an attractive statement with a large "true-to-life" split-oak log set and fiber ember top. With the click of a remote or flip of a switch, a vibrant fire fills the firebox while the embers and logs show off a warm comforting glow. Plus, the Montebello See-Through is available with premium accessories to give you the freedom to customize to your heart's desire. ■



CUSTOMIZE TO YOUR TASTE

With the Dave Lennox *Signature*™ Collection Montebello® See-Through gas-burning fireplace, you have plenty of options to create the perfect look. Start with a standard firebox liner and high-definition log set, then choose from an amazing list of optional accessories. Before you know it, you'll be relaxing in front of your dream fireplace!

LINERS (required design option)

Choose from six distinct liner options to accent any décor.



Architectural Stone



Venetian Tile



Black Porcelain



Buff Herringbone



Buff Rustic




Black Rustic

ANDIRONS (optional)

Add classic and durable andirons to evoke the look of a traditional hearth and help keep logs in place.



Classic style



Mission style

OUTDOOR KITS (required for indoor/outdoor application)

Two outdoor kits are available in light- and dark-tinted versions to enhance ambiance and reduce glare from the outside environment.



Light-tinted option



Dark-tinted option

FREE-STANDING SCREENS (optional)

Add a decorative element with a free-standing fire screen barrier.



Dual arch



Arch



Classic


REMOTE CONTROL (standard)

Provides the convenience of on-demand operation and one-touch control from anywhere in the room.



CONTROL COMPARTMENT

Gas controls are conveniently located to the side of the fireplace opening for easy installation and operation. A modesty panel hides the controls from view.



BARRIER SCREEN KITS (optional)

Create a barrier to prevent direct contact with hot glass. Affixes directly to the front of the fireplace.



Barrier screen



Montebello® See-Through shown with Black Porcelain liner used indoors between rooms.



Realistic flame and glowing ember bed



High-definition charred split-oak log set

STANDARD FEATURES

Ceramic burner and ember bed provide up to 60,000 BTU/hr for a tall, vibrant fire presentation

High-definition split-oak log set is cast from real wood for added realism and glow when burning

Large glass area with clean-face appearance for a true masonry look

Ceramic-glass enclosure panels provide an exceptional view with airtight protection and minimal reflection

Tested and certified as a vented gas fireplace heater

Total Comfort Control™ system features:


- Full-function remote system controls flame adjustment through six settings from the comfort of your chair
- Intelligent temperature control built into the remote modulates flame height up and down to precisely maintain your desired temperature in the living space
- Battery-backed-up valve system ensures reliable operation—even during a power failure
- Wall-mounted remote receiver with manual fireplace on/off control provides easy access for backup battery replacement
- Switchable between standing and intermittent pilot modes

Power Venting capability delivers installation flexibility for virtually any application (Power Vent model only)

Outdoor window kit tested and listed to ASTM commercial window standard for air filtration, water resistance, structural soundness and thermal resistance

Backed by Lennox Limited Lifetime Warranty

DIMENSIONS



GAS FIREPLACE EFFICIENCIES

MODEL	ENERGUIDE	STEADY-STATE	AFUE*	LO (BTU/HR)	HI (BTU/HR)
LSM40ST NG	67	73	68	40,000	60,000
LSM40ST LP	67	74	70	43,500	56,000
LSM40ST NG-PV	62	72	68	40,000	60,000

*Annual Fuel Utilization Efficiency (AFUE) is the recognized U.S. rating system for the total heating efficiency of heating products.

PRODUCTS AND DEALERS YOU CAN COUNT ON


At Lennox, we understand how important it is for you to feel comfortable at home, so we're committed to providing you with the finest hearth products available. Choosing the right dealer for your hearth needs is every bit as important as choosing the right brand, and we think you'll agree that our dealers are a big reason why you can count on getting quality customer service when you call.

On the cover: Montebello® See-Through shown with Black Porcelain liner and outdoor window kit.

IMPORTANT NOTES:
 As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.
 Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.
 Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.
 Listed to U.S. and Canadian safety and performance standards—ANSI Z21.88/CSA 2.33 vented gas fireplace heaters.



© Lennox Industries Inc. 2011
 Visit us at www.lennox.com, or contact us at 1-800-9-LENNOX.



ITS Report No. 100326523PRT-001
 100326550PRT-001