



# Napoleon<sup>®</sup> Gas Burning

Fireplace Inserts & Gas Logs





## From our family to yours

With over 30 years in the hearth industry, we are able to offer you a wide range of products, all proudly carrying the President's Limited Lifetime Warranty. The years of experience, care and quality results in the creation of hearth products that possess a timeless and enduring style, worthy of a place in your home.

As the largest, family owned hearth products and gas grill manufacturer in North America, we invite you to experience the complete family line-up of Napoleon® wood, pellet, gas and electric fireplaces, inserts and stoves. Our products are available for viewing at an authorized Napoleon® dealer nearest you or online at [napoleonfireplaces.com](http://napoleonfireplaces.com).

# WHY NAPOLEON®?



## Making your life easier...

Napoleon® gas fireplace inserts are designed to provide you absolute comfort and control at the touch of your fingertips. It's that easy. When you install a Napoleon® gas fireplace insert, you can rest assured that you will enjoy a lifetime of instant ambiance with reliable performance year after year.

## An investment you can count on...

Your new Napoleon® gas fireplace insert adds value to your home while at the same time giving you uncompromising comfort and a reliable heating source. Nothing to lose and everything to gain.

## Create your personal design statement...

Surround yourself with a home environment that makes you feel good, relaxed and proud to reflect your decorating style. Thousands of designer options are available to create the exact statement you have been looking for.

## Trim selection...

Napoleon® offers a complete selection of cast iron surrounds as well as traditional painted and plated trim packages to complete and enhance your fireplace insert installation.

## Highest efficiencies, maximum comfort...

Years of research, design and testing have enhanced optimum performance allowing Napoleon® products to achieve some of the highest heater rating efficiencies on the market. Napoleon® continuously surpasses industry standards not only in appearance but in efficiency and performance.

## Beautiful fires, best flame in the industry...

With advanced burner technology and innovative design, Napoleon's flame and exclusive PHAZER® log sets are so realistic it's hard to tell the difference from a real wood burning fire.

## Authorized dealer support network...

With over 3,000 reputable authorized dealers across North America and Europe, Napoleon® provides professional and consistent training and technical support to ensure your fireplace insert is installed by a certified, reputable installation technician.

## Outstanding Reliable Warranty...

Each and every Napoleon® gas fireplace insert is designed and manufactured to strict quality testing standards and backed by the President's Limited Lifetime Warranty, guaranteed to give you the solid performance you deserve. (Registered under the world recognized ISO 9001-2008)



Wolf Steel Manufacturing



Napoleon Appliance Corp.



Wolf Steel Montreal



Wolf Steel USA



Wolf Steel Corporate Offices

## Decorative Accessories

### Four-Sided Surrounds



Black



Brown



Diamond Dust Pewter

### Riser Box



### Bevelled Door Frame Trim



Polished Chrome

### MIRRO-FLAME™



Porcelain Reflective Radiant Panels

### Coloured Glass Options



Black

Amber

Blue



Red

Clear

Topaz (standard)

### Remote Controls



Shown with four-sided black surround and clear glass

## GDI30G - Sparkling Elegance

The GDI30G comes complete with Napoleon's exclusive CRYSTALLINE™ glass ember bed that sparkles with intriguing elegance. With its innovative design, impressive 85% efficiency and reliable heating capabilities, the GDI30G fills a niche for a contemporary style in an otherwise traditional masonry setting.



Model	BTU'S (Input)		Venting	Height		Front Width		Depth	
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening
GDI30G	24,500	24,500	Direct	21 3/4"	21 3/4"	30 1/16"	28"	17 7/8"	18"

Model	Glass Type	Glass Size		Efficiencies			Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State	
GDI30G	Ceramic	14"	28 1/2"	64.5%	82%	85%	Yes

Certified and tested as a heater to ANSI Z21.88 and CSA 2.33



Shown with bay front, safety screen & painted black ornamental inset and Majolica brown cast iron surround



Shown with fully operating doors, black flashing and outer trim



Shown with bay front & safety screen, 6" brushed stainless steel flashing and black trim

Shown with arched cast iron surround with a true artisan design and fully operating doors and optional multi-coloured river rocks

## GDI30 - An Elegant Heater For Any Lifestyle

The GDI30 easily transforms your existing masonry or prefabricated fireplace into an efficient heating source, eliminating drafts and ultimately saving you money. The incredible, realistic dancing flames and elegant designer options turn your room into a tranquil getaway. The state-of-the-art pan burner system guarantees a wide range of heat output, exactly what you need for maximum comfort.



Model	BTU'S (Input)		Venting	Height		Front Width		Depth	
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening
GDI30	15,000 - 24,500	15,000 - 24,500	Direct	21 3/4"	21 3/4"	30 1/16"	28"	18 3/4"	18"

Model	Glass Type	Glass Size		Efficiencies			Blower	Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State		
GDI30	Ceramic	14"	28 1/2"	64.5%	82%	85%	Standard	Yes

Certified and tested as a heater to ANSI Z21.88 and CSA 2.33

## Decorative Accessories

### Louvres



Painted Black  
Upper and lower louvres



24 Karat Gold Plated  
Upper and lower louvres



Antique Brass Finish  
Lower louvres only



Polished Brass Finish  
Lower louvres only



Brushed Stainless Steel Finish  
Lower louvres only

All finishes available as lower louvres on bay fronts as well

### Ornamental Insets



Heritage  
Painted Black Finish



Heritage  
24 Karat Gold Plated

### Deluxe Flashing Kits

Available in 6" and 9"



Black



Antique Brass Finish



Polished Brass Finish

### Trim



Brushed Stainless Steel Finish



Bevelled flashing in textured black



Black

### Decorative Panels



Sandstone Brick Panels



Porcelain Reflective Radiant Panels

### Cast Iron Surrounds



Painted Black



Porcelain Enamel Majolica Brown

### Riser Box



### Andirons

Painted Black or 24 Karat Gold Plated  
Andirons available only with bay front

### Remote Controls



## Decorative Accessories

### Trim Kits

Available in Painted Textured Satin Black finish



Three-Sided Aluminum Extrusion

Four-Sided Aluminum Extrusion

Contemporary trim kit available in Painted Black (shown on GDI44)

### Decorative Doors



Webbed Arched Door

Available in Painted Black finish and 24 Karat Gold Plated

Arched Door

Available in 24 Karat Gold Plated

### Deluxe Flashing Kits

Available in 6" and 9"



Black

Antique Brass Finish

Polished Brass Finish



Brushed Stainless Steel Finish

### Trim



Black

### Decorative Panels



Sandstone Brick Panels

Porcelain Reflective Radiant Panels


### Cast Iron Surrounds



Painted Black

Porcelain Enamel Majolica Brown

### Riser Box



### Andirons

Painted Black or 24 Karat Gold Plated  
Andirons available only with bay front



### Remote Controls



Shown with three sided aluminum extrusion and black flashing kit

## GDIZC - Smallest Fireplace Opening, Large Viewing Area

This Vesta award winning fireplace insert is designed to fit the smallest fireplace openings but offers a large, 400 square inch ceramic glass viewing area.



Model	BTU'S (Input)		Venting	Height		Front Width		Depth				
	Natural Gas	Propane		Actual		Minimum Opening	Actual		Minimum Opening	Actual		
				3 sided	4 sided		3 sided	4 sided		3 sided	4 sided	
GDIZC	14,000 - 24,000	15,000 - 24,000	Direct	20 3/4"	24 1/8"	14 1/2"	36"	36"	25"	15 1/2"	15 1/2"	11"

Model	Glass Type	Glass Size		Efficiencies			Blower	Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State		
GDIZC	Ceramic	15 5/8"	28 1/8"	65.5%	79%	85%	Standard	Yes

Certified and tested as a heater & wall furnace to ANSI Z21.86, Z21.88 and CSA 2.32, CSA 2.33



Shown with Painted Black contemporary trim kit and riser box

## GDI44 - Picture Perfect

The GDI44 insert boasts an incredible 75% flame and heat adjustment (up to 40,000 BTU's down to 10,000 BTU's). More than any other unit! This is the perfect solution to improve your existing inefficient wood burning fireplace and at the same time, offering a huge viewing area to enjoy the beautiful, mesmerizing flames.



Model	BTU'S (Input)		Venting	Height			Front Width			Depth		
	Natural Gas	Propane		Actual		Minimum Opening	Actual		Minimum Opening	Actual		Minimum Opening
				3 sided	4 sided		3 sided	4 sided		3 sided	4 sided	
GDI44	13,000 - 40,000	10,000 - 40,000	Direct	27 1/4"	30 1/2"	21"	43 7/8"	43 7/8"	32"	20 3/4"	20 3/4"	16"

Model	Glass Type	Glass Size		Efficiencies			Blower	Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State		
GDI44	Ceramic	22 1/2"	36 1/4"	61.4%	-	69%	Standard	Yes

Certified and tested as a heater to ANSI Z21.88 and CSA 2.33

## Decorative Accessories



### Trim Kits

Available in Painted Textured Satin Black finish



Three-Sided Aluminum Extrusion



Four-Sided Aluminum Extrusion

Contemporary trim kit shown on left available in Painted Black (also available for the GDI2C)

## Decorative Doors



Webbed Arched Door

Available in Painted Black finish and 24 Karat Gold Plated

Arched Door

Available in 24 Karat Gold Plated


## Hand crafted Wrought Iron door



## Decorative Panels



Sandstone Brick Panels



Porcelain Reflective Radiant Panels

## Riser Box



## Andirons

Painted Black

Andirons available only with bay front

## Remote Controls



## Decorative Accessories

### Louvres



**Black**  
Upper and lower louvres



**24 Karat Gold Plated**  
Upper and lower louvres



**Antique Brass Finish**  
Lower louvres only



**Polished Brass Finish**  
Lower louvres only



**Brushed Stainless Steel Finish**  
Lower louvres only

All finishes available on bay fronts as well

### Bay Door Assembly



### Deluxe Flashing Kits

Available in 6" and 9"



**Black**



**Antique Brass Finish**



**Polished Brass Finish**

### Trim



**Brushed Stainless Steel Finish**



**Black & Polished Brass**

### Decorative Panels



**Sandstone Brick Panels**



**Porcelain Reflective Radiant Panels**

### Cast Iron Surrounds



**Painted Black**



**Porcelain Enamel Majolica Brown**

### Riser Box



### Andirons

Painted Black or 24 Karat Gold Plated  
Andirons available only with bay front



### Remote Controls



Shown with arched cast iron surround with a true artisan design and fully operating doors



Shown with deluxe flashing kit and black louvres

## GI3600 - Economical & Versatile

Here's the secret to a warmer, cozier home! Replace your drafty old fireplace with this beautiful Napoleon® insert. The GI3600 is especially designed to fit smaller wood burning, zero clearance fireplaces. Create the exact designer touch with optional choices including bay fronts, flashing kits and cast iron surrounds in various finishes.



Model	BTU'S (Input)		Venting	Height		Front Width		Depth	
	Natural Gas	Propane		Actual	Minimum Opening	Actual	Minimum Opening	Actual	Minimum Opening
GI3600	16,000 - 24,000	17,000 - 22,000	Natural	21"	17 1/2"	30 1/8"	25 1/2"	17 1/2"	16 1/2"

Model	Glass Type	Glass Size		Efficiencies			Blower	Approved for bathrooms, bedrooms & bed sitting rooms
		Height	Width	EnerGuide	AFUE	Steady State		
GI3600	Ceramic	11 3/4"	29 3/4"	57.5%	-	76%	Standard	Yes

Certified and tested to both Z21.50, CSA 2.22 standards



Shown with 18" vented series

## FIBERGLOW™ Vented Gas Log Sets

In today's demanding society, where life never seems to slow down, we crave the more simple pleasures that bring back relaxation, comfort and treasured times with family and friends. Napoleon's FIBERGLOW™ gas log sets simply make sense, creating the ambiance your home deserves with log sets that are so realistic, they look like natural wood logs with a true, natural flame.




### Deciding which log set will fit your fireplace

Minimum Size Fireplace Opening			
Model Size	Height*	Width	Depth
18" GL18	18"	22"	14"
24" GL24	20"	28"	14"
30" GL30	22"	34"	14"

\*Allow 4-6" additional height for optimum flame appearance.

Certified in Canada and the U.S. to CGA 2.26 and ANSI Z21.60



## Options



18" vented series providing up to 55,000 BTU's with advanced radiant infrared heat technology



24" vented series providing up to 60,000 BTU's with advanced radiant infrared heat technology



30" vented series providing up to 65,000 BTU's with advanced radiant infrared heat technology



Lava Rocks/Cinders




Programmable Timer

### Remote Controls




# Napoleon's Advanced Insert Technology

## Direct Vent



Direct vent technology draws outside air for combustion into the firebox chamber then exhausts through a separate vent. Both vents are installed into your existing chimney.

Napoleon's direct vent gas fireplace insert design employs a sealed combustion and vent system. These and other innovations allow Napoleon's inserts to achieve some of the highest efficiencies in the industry today. The direct vent draws its combustion air from outside while venting to the same outside atmosphere - thereby not consuming warm house air. Direct venting also eliminates drafts and heat loss common to existing woodburning fireplaces.



## Direct Vent System

- 1 Realistic PHAZER® log set or CRYSTALINE™ ember bed
- 2 Double steel wall construction on five sides for optimum heat retention and efficiency
- 3 Variable speed fan provides maximum comfort and efficiency to help circulate room air
- 4 Cool room air drawn in
- 5 High heat ceramic glass for ultimate safety and heat transfer
- 6 Heated room air out through an efficient blower system
- 7 Heat exchanger for maximum heat output featuring heavy gauge steel
- 8 Gas flue outlet exhausts combusted air
- 9 Fresh air intake - pictured above
- 10 Exhausted combustion air - pictured above

## What is Zone Heating?

### The Benefits of Zone Heating

#### Why is a gas fireplace insert more effective than using the furnace alone?

When you are active and moving around the house your body doesn't feel the need for heat as it does when relaxing in the family room. Zone Heating means you are heating the room that you use the most with an alternate heat source, like a Napoleon® gas fireplace insert. Zone Heating is the obvious solution for those families concerned about rising fuel costs.



# Outstanding Features of Napoleon's Advanced Technology



## Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic flames in the industry.



## Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD™ gas control system.




## True Masonry Details

Napoleon's ceramic brick panels with true masonry texture and mortar details, help transfer additional heat, radiating out from the firebox.



## Outstanding Craftsmanship

Fine details are designed in every aspect of Napoleon® gas fireplace inserts... individually handcrafted with pride of excellence.



## Superior Heat Resistant Glass

Ceramic glass is made to withstand high temperatures and thermoshock, allowing maximum radiant heat performance & safety.



## WHISPER QUIET™ Heat Circulating Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds.



## Convenient Remote Controls

Napoleon's remotes with digital read out and thermostatic control give you the comfort level you need at the touch of a button. The F50 remote is available in three stylish designer colours - red, grey and black.

### Legend

-  Advanced Burner System  
YELLOW DANCING FLAMES™
-  Heat Circulating Blower  
(Standard with all insert units)
-  Optional Digital  
Remote Control
-  No Electricity Required to  
Light or Operate
-  Money Saving
-  Radiant Heat
-  Zone Heating

# FIBERGLOW™ Vented Gas Log Sets



## Advanced FIBERGLOW™ Infrared Technology Radiates Heat Back Into the Room from the PHAZERAMIC™ Burner

- A** Air flows towards the air intake opening.
- B** Natural gas or propane circulates into a precisely calibrated SIT safety valve.
- C** Air and fuel mix within the venturi tube.
- D** The perfect blend of fuel and air mixture travels through the sophisticated burner ports, strategically placed to begin the process of creating the most realistic flames in the industry.
- E** Infrared heat from the glowing logs radiates directly back into the room from the exclusive PHAZERAMIC™ burner and ember bed which provides up to 65,000 BTU's.
- F** Infrared heat technology and curved rear log design, directs heat back into the room.
- G** Controls are hidden from view but easy to access. The added feature of an on/off switch is conveniently located at the front side.
- H** Thermocouple provides 100% SAFEGUARD™ system, quickly automatically shutting off the gas supply for your peace of mind.
- I** Thermopile milivolt system provides full operation without the need for electricity.
- J** Ignition system is easy with a piezo ignitor, digital remote control or milivolt wall thermostat.

## No Comparison - Replace Your Drafty, Inefficient Fireplace with a Napoleon® Gas Insert

- 1 Select appropriate insert that fits your requirements
- 2 Choose your trim
- 3 Select your decorative trim surround
- 4 Exhaust/intake installed by your dealer



Installed into an existing masonry fireplace




Installed into an existing zero clearance fireplace






# Gas Insert Dimensions

Model




## Measuring For Your Insert






GDI30






GDI30G






GDI3C



GDI44



GI3600



# The Next Generation of Fireplace Design



Napoleon's new Fireplace Design Studio (FDS) allows you to design, visualize and price the perfect fireplace for your home! It's easy, it's fun and you can upload a picture of your room to see exactly how it will look. Try it out now at [napoleonfireplaces.com/FDS](http://napoleonfireplaces.com/FDS)  
Also available as an iPhone App.



## Other Napoleon® Products



Wood Burning Stoves



Outdoor Living Products



Woodburning Fireplaces



Cast Iron Gas Stoves



Modern Collection



Direct Vent Fireplaces



Electric Fireplaces



Waterfalls




Gourmet Gas Grills

Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon® is a registered trademark of Wolf Steel Ltd. © Wolf Steel Ltd. EnerGuide - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. AFUE - A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. Steady State - Reflects the highest possible overall heating efficiency.



- 103 Miller Drive, Crittenden, Kentucky, USA 41030
  - 24 Napoleon Road, Barrie, Ontario, Canada L4M 4Y8
  - 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3
- Tel: 705-721-1212 Fax: 705-722-6031  
[napoleonfireplaces.com](http://napoleonfireplaces.com)



Authorized Dealer

